


## RPLC

### RPLC SERIES SINGLE-CELL ROUND PLATFORMS



---

Painted Steel. Load cell in Aluminium. IP65 protection rating.

---

---

Precision class C3, C3MR.

---

Small capacity electronic round platforms made in anodized blue aluminium. Precise and sturdy structure, suitable for scales and automatic weight checking systems in all industrial and commercial applications. Standard version is with approved load cell.

规格参数

- 内含IP65铝质平行梁传感器，符合OIML R60标准。输入阻值:350 Ohm。
- 蓝色铝外壳，通过调节支脚并观测水平泡，确保处于水平位置。
- 不锈钢圆盘。
- 15 Vdc供电。
- 1.5 m连接电缆，供连接称重显示器使用。

可选配件

- 标定证书
- CE-M 3000e检定证书
- 高精度型号

防爆证书

- CCATEX:传感器防爆证书
- DCATEXMECH:称重部分防爆证书，包括称重台 + 接线盒 + 传感器(若连接称重显示器，还需要提供其它相关证书)。

可选型号

| ????   |                   |             |          |                      |                         |              |
|--------|-------------------|-------------|----------|----------------------|-------------------------|--------------|
| Codice | l x w x h<br>(mm) | Max<br>(kg) | d<br>(g) | <div>M</div><br>(g)* | <div>M</div><br>2R (g)* | d HR<br>(g)* |
| RPLC1  | Ø=178, h=45       | 1,5         | 0,2      | 0,5                  | 0,2 / 0,5               | 0,05         |
| RPLC3  | Ø=178, h=45       | 3           | 0,5      | 1                    | 0,5 / 1                 | 0,1          |
| RPLC6  | Ø=178, h=45       | 6           | 1        | 2                    | 1 / 2                   | 0,2          |
| RPLC15 | Ø=178, h=45       | 15          | 2        | 5                    | 2 / 5                   | 0,5          |

(\*) 此精度仅在配有相关证书后才有效。



[www.diniargeo.com](http://www.diniargeo.com)

“YOUR WORLDWIDE PARTNER FOR WEIGHING,”

DINI ARGEO  
FRANCE sarl  
France

DINI ARGEO  
GMBH  
Germany

DINI ARGEO  
UK Ltd  
United Kingdom

DINI ARGEO WEIGHING  
INSTRUMENTS Ltd  
China

DINI ARGEO  
OCEANIA  
Australia



#### COMPANY HEADQUARTERS

Via Della Fisica, 20  
41042 Spezzano di Fiorano Modena • Italy  
Tel. +39.0536 843418

#### SERVICE ASSISTANCE

Via Dell'Elettronica, 15  
41042 Spezzano di Fiorano Modena • Italy  
Tel. +39.0536 921784

SALES AND TECHNICAL ASSISTANCE SERVICE