

LP542S

LP542S热敏标签打印机



热敏标签打印机，配有前置剥离机制以感应标签，其可与DFW、TRI、3590和TRS系列称重显示器连接使用。
快速标签打印、高精度打印及小巧的机身使其适用于任何工业打印需求。

规格参数

- 打印方式:热敏打印
- 打印分辨率:203dpi(8点/mm)
- 打印速度:127mm/秒
- 打印长度:1016mm
- 打印宽度:108mm
- 标签长度:10mm至999mm
- 标签宽度:20mm至112mm
- 标签厚度:0.06mm至0.19mm
- 标签纸卷尺寸:127mm OD(5.0"OD)
- 字体:8种固定字体、1种可旋转角度的字体, 可旋转0、90、180和270度
- 可识别条码:Code 39, Code 39C, Code 93, Code 128uCC, Code 128 (Subset A, B, C), Codabar, Interleave 2 of 5, EAN-8, EAN-13, EAN-128, UPC-A, UPC-E, EAN e UPC 2(5) digits add-on, MSI, PLESSEY, POSTNET, China Post, ITF 14, EAN14.
- 可识别2D条码:PDF-417, MAXICODE, DATA MATRIX, QR code
- 内存:2MB DRAM, 2MB闪存
- 接口:RS232、并口、USB1.1
- 尺寸:240x200x164mm
- 电源:开关电源100/240Vac, 24V 3.75A DC(外接电源适配器)
- 工作温度:5至40°C

产品详情 1





www.diniargeo.com

“YOUR WORLDWIDE PARTNER FOR WEIGHING,”

DINI ARGEO
FRANCE sarl
France

DINI ARGEO
GMBH
Germany

DINI ARGEO
UK Ltd
United Kingdom

DINI ARGEO WEIGHING
INSTRUMENTS Ltd
China

DINI ARGEO
OCEANIA
Australia



COMPANY HEADQUARTERS

Via Della Fisica, 20
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 843418

SERVICE ASSISTANCE

Via Dell'Elettronica, 15
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 921784

SALES AND TECHNICAL ASSISTANCE SERVICE