

SMT_OLD20191210

"SMTPLUSPRO": 直接或热转印标签打印机



直接或热转印标签打印机，可与3590、CPW和TRS称重显示器连接。快速标签打印、高精度打印及小巧的机身使其适用于任何工业打印需求。还提供经CE-M认证型号。

为工业称重系统提供最佳解决方案

规格参数

- 打印方式:直接和热转印打印
- 打印分辨率:8点/mm
- 打印速度:200mm/秒
- 打印模式:分批和连续
- 最大打印宽度:108mm
- 标签长度:5mm至2286mm
- 标签宽度:25.4mm至118mm
- 纸卷尺寸:外径208.3mm
- 热敏色带:内径25.4mm, 长450米, 宽25.4mm至114.3mm
- 字体:8种字体 True Type Font
- 显示屏:LCD背光显示屏, 128x64像素, 可显示提示信息。
- 媒介类型:模切标签、小标签和连续标签条。
- 可识别条码:
 - 1D条码:Code 39, Code 93, Code128UCC, Code128 subset A.B.C, Codabar, Interleave 2 of 5, EAN-8, EAN-13, EAN-128, UPC-A, UPC-E, EAN e UPC 2(5) digits add-on, MSI, PLESSEY, POSTNET, RSS-Stacked, GS1 DataBar, Code 11, China Post。
 - 2D条码:PDF-714, Maxicode, DataMatrix, QR code, Aztec。
- 内存:128 Mb
- 接口:RS232C(2400至115200bps)或USB2.0。
- 打印格式设置软件, 用于设置带logo、重量值或条码的个性化标签。
- 尺寸:270 x 308 x 505 mm
- 重量:15 kg
- 电源:115/230Vac, 50/60Hz
- 工作温度:-40至+60°C
- 工作湿度:20%至85%, 无冷凝

可选配件

- 剥离装置, 带自动回卷功能。



简单快捷的替换纸卷



www.diniargeo.com

“YOUR WORLDWIDE PARTNER FOR WEIGHING,”

DINI ARGEO
FRANCE sarl
France

DINI ARGEO
GMBH
Germany

DINI ARGEO
UK Ltd
United Kingdom

DINI ARGEO WEIGHING
INSTRUMENTS Ltd
China

DINI ARGEO
OCEANIA
Australia



COMPANY HEADQUARTERS

Via Della Fisica, 20
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 843418

SERVICE ASSISTANCE

Via Dell'Elettronica, 15
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 921784

SALES AND TECHNICAL ASSISTANCE SERVICE