



WWSE_OLD20190822

WWSE汽车称重板

这款称重板适用于称量大型车辆(货车、卡车、油罐车、拖拉机等), 特别精准耐用。



为工业称重系统提供最佳解决方案

规格参数

- 称重板尺寸: 700x561mm。高: 55mm。重: 约26kg。
- 称重区域尺寸: 700x450mm。
- 配有运输用的轮子。
- 特殊铝材料制成, 方便携带, 结构坚固, 适用于大多数工作环境。
- 称重板标配10m长的连接电缆与接插件, 与称重显示器连接。
- 配有IP68不锈钢传感器。
- 配有IP68接线盒, 密封性良好。
- 在称重平台底部有特殊防滑橡胶, 在任何表面上都不会打滑。
- 与仪表的连接非常简单、牢固。
- **称重板的连接部分具有IP68防护等级, 使用了IP68接插件以及PUR电缆。**
- WWS称重板是我司一项专利, 专利号为1.342.302。
- 拥有CE-M贸易结算认证。

可选配件

- 高精度模式(仅限工厂内部使用)
- 基坑框架
- 轴重称重加长板
- 上下引坡

CE-M认证型号

- 贸易结算称重板:
 - 单板称重系统, 可作为地磅使用。
 - 多轮称重系统, 称重板数量等于车轮数量。
 - 轴重称重系统, 可用一对或多对称重板进行称重。
- 根据国家现行标准, 轴重称重系统使用带有AE09程序的仪表和2片称重板, 拥有OIML R134认证, 可用于动态称重。

可选型号

????					
Codice	l x w x h (mm)	Max (kg)	d (kg)	M (kg)	d HR (kg)*
<u>WWSE6T</u>	700x450x58	6000	2	2	0,2
<u>WWSE10T</u>	700x450x58	10000	5	5	0,5
<u>WWSE15T</u>	700x450x58	15000 (12500**)	5	5	0,5

(*) 此分度值仅在选择相关配件后方可使用

注:

- 此CE-M分度值仅与单个称重板有关。
- 轮重称重系统的CE-M分度值是由单个称重板的分度值的总和决定的。例如, 使用4个分度值为200g的贸易结算称重板, 称重系统的分度值就为1kg。



“YOUR WORLDWIDE PARTNER FOR WEIGHING,”

DINI ARGEO
FRANCE sarl
France

DINI ARGEO
GMBH
Germany

DINI ARGEO
UK Ltd
United Kingdom

DINI ARGEO WEIGHING
INSTRUMENTS Ltd
China

DINI ARGEO
OCEANIA
Australia



COMPANY HEADQUARTERS

Via Della Fisica, 20
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 843418

SERVICE ASSISTANCE

Via Dell'Elettronica, 15
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 921784

SALES AND TECHNICAL ASSISTANCE SERVICE