

DFWLI_2017

"DFWLI": IP68不锈钢外壳多功能称重显示器



易于配置和使用，是一款多功能、高性能的称重显示器。诸多可用的功能及接口使其适用于广泛的工业和商业领域称重，还可集成于地磅、移动式称重系统等，外壳为IP68不锈钢。还提供经CE-M认证型号(OIML R-76/EN45501)。

主要特点

- 5个或17个防水功能按键。
- LCD背光显示屏, 可显示6位字高25mm字符, 以及指示当前激活功能的图标。
- IP68防水不锈钢外壳, 易于清洁并可抵抗严酷的腐蚀性环境。
- 尺寸: 243x145x78.4 mm
- 可在台面、立柱或墙面上使用。
- 24位A/D转换器, 4频道, 转换速度可达200次/秒, 可设置多达8个线性化信号点。
- 10.000e或多量程3x3000e @ 0.3 $\mu\text{V/e}$ (通过CE-M认证, 用于经贸易结算认证的仪表)。
- 显示分辨率可达1.000.000, 内部分辨率达3.000.000点。
- 最多可连接8个内阻350 Ohm或16个内阻700 Ohm的传感器。
- 可通过键盘或PC端Dinitool软件进行标定处理或设置参数。
- 110 - 240 VAC内置开关电源供电。

功能

- **按键功能:**
 - 清零、去皮、手动去皮、打印和/或传输数据、功能启用、开关机。
 - 17键型号还可: 储存10个皮重、2位数字ID、按键锁及重复打印上一次数据。
- **称重功能:**
 - 重量显示精度x10
 - 净重/毛重或lb/kg转换
 - 重量累计
 - 配方称量
 - +/-误差检重
 - 百分比称量
 - 使用PC/PLC调用保存的重量(需配备Alibi内存板)
 - 计件(最大分辨率为1500000d)
 - 首次/二次称重
 - 重量锁定与峰值检测

可选配件

- 实时时钟
- 集成实时时钟功能的Alibi内存板
- USB接口
- 红外远程遥控器





“YOUR WORLDWIDE PARTNER FOR WEIGHING,”

DINI ARGEO
FRANCE sarl
France

DINI ARGEO
GMBH
Germany

DINI ARGEO
UK Ltd
United Kingdom

DINI ARGEO WEIGHING
INSTRUMENTS Ltd
China

DINI ARGEO
OCEANIA
Australia



COMPANY HEADQUARTERS

Via Della Fisica, 20
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 843418

SERVICE ASSISTANCE

Via Dell'Elettronica, 15
41042 Spezzano di Fiorano Modena • Italy
Tel. +39.0536 921784



SALES AND TECHNICAL ASSISTANCE SERVICE